


**Multi-Stage Centrifugal Booster Pump  
Model SCB 12-60P-48**



## *Multi-Stage Centrifugal Booster Pump*

### Model SCB 12-60P-48

8 Stages

PSI	TDH Feet	TDH Meters	Motor Voltage	Motor Amps	U.S. GPM	LPM	Motor Watts	System Efficiency
0	0	0.0	48	19.76	19.5	73.8	948	0%
5	12	3.5	48	19.76	19.0	71.9	948	4%
10	23	7.0	48	19.83	18.5	70.0	952	8%
15	35	10.6	48	19.93	18.0	68.1	957	12%
20	46	14.1	48	20.03	17.5	66.2	961	16%
25	58	17.6	48	20.16	17.0	64.3	968	19%
30	69	21.1	48	20.20	16.5	62.3	970	22%
35	81	24.6	48	20.20	16.0	60.5	970	25%
40	92	28.2	48	20.20	15.4	58.3	970	28%
45	104	31.7	48	20.33	14.8	56.2	976	30%
50	116	35.2	48	20.38	14.2	53.8	978	32%
55	127	38.7	48	20.35	13.5	51.2	977	33%
60	139	42.3	48	20.37	12.9	48.8	978	34%
65	150	45.8	48	20.42	12.1	45.9	980	35%
70	162	49.3	48	20.36	11.3	42.8	977	35%
75	173	52.8	48	20.27	10.5	39.7	973	35%
80	185	56.3	48	20.08	9.6	36.3	964	35%
85	196	59.9	48	19.79	8.7	33.0	950	34%
90	208	63.4	48	19.45	7.7	29.1	934	32%
95	219	66.9	48	18.97	6.7	25.2	911	30%
100	231	70.4	48	18.02	5.4	20.4	865	27%
105	243	73.9	48	17.16	4.2	15.9	824	23%
110	254	77.5	48	16.04	2.5	9.5	770	16%
115	266	81.0	48	14.48	0.5	1.9	695	4%

PSI	TDH Feet	TDH Meters	Motor Voltage	Motor Amps	U.S. GPM	LPM	Motor Watts	System Efficiency
0	0	0.0	52	22.81	21.4	81.0	1186	0%
5	12	3.5	52	22.81	21.0	79.5	1186	4%
10	23	7.0	52	22.81	20.5	77.6	1186	8%
15	35	10.6	52	22.95	20.0	75.7	1193	11%
20	46	14.1	52	23.01	19.5	73.8	1197	14%
25	58	17.6	52	23.08	19.0	71.9	1200	17%
30	69	21.1	52	23.30	18.5	70.0	1212	20%
35	81	24.6	52	23.44	18.0	68.1	1219	22%
40	92	28.2	52	23.52	17.5	66.2	1223	25%
45	104	31.7	52	23.56	17.0	64.3	1225	27%
50	116	35.2	52	23.56	16.5	62.5	1225	29%
55	127	38.7	52	23.62	16.0	60.6	1228	31%
60	139	42.3	52	23.68	15.4	58.4	1231	33%
65	150	45.8	52	23.82	14.8	56.0	1239	34%
70	162	49.3	52	23.79	14.1	53.4	1237	35%
75	173	52.8	52	23.68	13.5	51.1	1231	36%
80	185	56.3	52	23.67	12.8	48.4	1231	36%
85	196	59.9	52	23.61	12.1	45.9	1228	37%
90	208	63.4	52	23.48	11.4	43.0	1221	36%
95	219	66.9	52	23.45	10.6	40.2	1219	36%
100	231	70.4	52	23.15	9.8	37.1	1204	35%
105	243	73.9	52	22.81	8.8	33.3	1186	34%
110	254	77.5	52	22.18	7.8	29.5	1153	32%
115	266	81.0	52	21.52	6.7	25.4	1119	30%
120	277	84.5	52	20.75	5.7	21.4	1079	27%
125	289	88.0	52	20.03	4.5	17.0	1042	24%
130	300	91.6	52	19.05	3.2	12.1	991	18%
135	312	95.1	52	18.54	1.8	6.7	964	11%
140	323	98.6	52	17.84	0.3	1.1	928	2%
145	335	102.1	52	17.83	0.0	0.0	927	0%